

| EZE-Sleeve® Cast Iron Insulated Bearing Housing Repair Sleeves | | | | |
|---|------------------------------|---------------|-------------------------------|--------------------------------|
| Cast Iron Insulated Part No. | For use with Bearing Numbers | Sleeve Length | Approx. Sleeve OD \pm .10mm | Approx. Sleeve OD \pm 0.004" |
| 3020-9 | 6200 | 20.00 | 33.30 | 1.311 |
| 3220-9 | 6002 / 6201 | 20.00 | 35.30 | 1.390 |
| 3520-9 | 6003 / 6202 / 6300 | 20.00 | 38.30 | 1.508 |
| 3720-9 | 6301 | 20.00 | 40.30 | 1.587 |
| 4020-9 | 6203 | 20.00 | 43.30 | 1.705 |
| 4220-9 | 6004 / 6302 | 20.00 | 45.30 | 1.783 |
| 4720-9 | 6005 / 6204 / 6303 | 20.00 | 50.30 | 1.980 |
| 5222-9 | 6205 / 6304 | 22.00 | 55.30 | 2.177 |
| 6230-9 | 6007 / 6206 / 6305 | 30.00 | 65.30 | 2.571 |
| 6240-9 | | 40.00 | | |
| 6250-9 | | 50.00 | | |
| 7230-9 | 6207 / 6306 | 30.00 | 76.30 | 3.004 |
| 7240-9 | | 40.00 | | |
| 7250-9 | | 50.00 | | |
| 8030-9 | 6010 / 6208 / 6307 | 30.00 | 84.30 | 3.319 |
| 8040-9 | | 40.00 | | |
| 8050-9 | | 50.00 | | |
| 8530-9 | 6209 | 30.00 | 89.30 | 3.516 |
| 8540-9 | | 40.00 | | |
| 8550-9 | | 50.00 | | |
| 9030-9 | 6011 / 6210 / 6308 | 30.00 | 94.30 | 3.713 |
| 9040-9 | | 40.00 | | |
| 9050-9 | | 50.00 | | |
| 10030-9 | 6013 / 6211 / 6309 | 30.00 | 105.30 | 4.146 |
| 10040-9 | | 40.00 | | |
| 10050-9 | | 50.00 | | |
| 11030-9 | 6014 / 6212 / 6310 | 30.00 | 115.30 | 4.539 |
| 11040-9 | | 40.00 | | |
| 11050-9 | | 50.00 | | |
| 11060-9 | | 60.00 | | |

* indicates most popular size

Custom sleeves available to maximum OD of 18" (457mm)

| EZE-Sleeve® Cast Iron Insulated Bearing Housing Repair Sleeves | | | | |
|---|------------------------------|---------------|-------------------------------|--------------------------------|
| Cast Iron Insulated Part No. | For use with Bearing Numbers | Sleeve Length | Approx. Sleeve OD \pm .10mm | Approx. Sleeve OD \pm 0.004" |
| 12040-9 | 6213 / 6311 | 40.00 | 125.30 | 4.933 |
| 12050-9 | | 50.00 | | |
| 12060-9 | | 60.00 | | |
| 12070-9 | | 70.00 | | |
| 12540-9 | 6016 / 6214 | 40.00 | 130.30 | 5.130 |
| 12550-9 | | 50.00 | | |
| 12560-9 | | 60.00 | | |
| 12570-9 | | 70.00 | | |
| 13040-9 | 6017 / 6215 / 6312 | 40.00 | 136.30 | 5.366 |
| 13050-9 | | 50.00 | | |
| 13060-9 | | 60.00 | | |
| 13070-9 | | 70.00 | | |
| 14040-9 | 6018 / 6216 / 6313 | 40.00 | 146.30 | 5.760 |
| 14050-9 | | 50.00 | | |
| 14060-9 | | 60.00 | | |
| 14070-9 | | 70.00 | | |
| 15040-9 | 6020 / 6217 / 6314 | 40.00 | 156.30 | 6.154 |
| 15050-9 | | 50.00 | | |
| 15060-9 | | 60.00 | | |
| 15070-9 | | 70.00 | | |
| 16040-9 | 6021 / 6218 / 6315 | 40.00 | 166.30 | 6.547 |
| 16050-9 | | 50.00 | | |
| 16060-9 | | 60.00 | | |
| 16070-9 | | 70.00 | | |
| 17050-9 | 6022 / 6219 / 6316 | 50.00 | 176.30 | 6.941 |
| 17060-9 | | 60.00 | | |
| 17070-9 | | 70.00 | | |
| 17080-9 | | 80.00 | | |
| 18050-9 | 6024 / 6220 / 6317 | 50.00 | 186.30 | 7.335 |
| 18060-9 | | 60.00 | | |
| 18070-9 | | 70.00 | | |
| 18080-9 | | 80.00 | | |

* indicates most popular size

Custom sleeves available to maximum OD of 18" (457mm)

| EZE-Sleeve® Cast Iron Insulated Bearing Housing Repair Sleeves | | | | |
|---|------------------------------|---------------|-------------------------------|--------------------------------|
| Cast Iron Insulated Part No. | For use with Bearing Numbers | Sleeve Length | Approx. Sleeve OD \pm .10mm | Approx. Sleeve OD \pm 0.004" |
| 19050-9 | 6221 / 6318 | 50.00 | 196.30 | 7.728 |
| 19060-9 | | 60.00 | | |
| 19070-9 | | 70.00 | | |
| 19080-9 | | 80.00 | | |
| 20050-9 | 6026 / 6222 / 6319 | 50.00 | 207.30 | 8.161 |
| 20060-9 | | 60.00 | | |
| 20070-9 | | 70.00 | | |
| 20080-9 | | 80.00 | | |
| 20090-9 | | 90.00 | | |
| 21560-9 | 6224 / 6320 | 60.00 | 222.30 | 8.752 |
| 21570-9 | | 70.00 | | |
| 21580-9 | | 80.00 | | |
| 21590-9 | | 90.00 | | |
| 215100-9 | | 100.00 | | |
| 22560-9 | 6030 / 6321 | 60.00 | 232.30 | 9.146 |
| 22570-9 | | 70.00 | | |
| 22580-9 | | 80.00 | | |
| 22590-9 | | 90.00 | | |
| 225100-9 | | 100.00 | | |
| 23060-9 | 6226 | 60.00 | 237.30 | 9.343 |
| 23070-9 | | 70.00 | | |
| 23080-9 | | 80.00 | | |
| 23090-9 | | 90.00 | | |
| 230100-9 | | 100.00 | | |
| 24070-9 | 6032 / 6322 | 70.00 | 248.30 | 9.776 |
| 24080-9 | | 80.00 | | |
| 24090-9 | | 90.00 | | |
| 240100-9 | | 100.00 | | |
| 25070-9 | 6228 / 6323 | 70.00 | 258.30 | 10.169 |
| 25080-9 | | 80.00 | | |
| 25090-9 | | 90.00 | | |
| 250100-9 | | 100.00 | | |
| 250110-9 | | 110.00 | | |
| * indicates most popular size | | | | |
| Custom sleeves available to maximum OD of 18" (457mm) | | | | |

| EZE-Sleeve® Cast Iron Insulated Bearing Housing Repair Sleeves | | | | |
|---|------------------------------|---------------|--------------------------|----------------------------|
| Cast Iron Insulated Part No. | For use with Bearing Numbers | Sleeve Length | Approx. Sleeve OD ±.10mm | Approx. Sleeve OD ± 0.004" |
| 26070-9 | 6034 / 6324 | 70.00 | 268.30 | 10.563 |
| 26080-9 | | 80.00 | | |
| 26090-9 | | 90.00 | | |
| 260100-9 | | 100.00 | | |
| 260110-9 | | 110.00 | | |
| 27070-9 | 6230 | 70.00 | 278.30 | 10.957 |
| 27080-9 | | 80.00 | | |
| 27090-9 | | 90.00 | | |
| 270100-9 | | 100.00 | | |
| 270110-9 | | 110.00 | | |
| 28080-9 | 6036 / 6326 | 80.00 | 288.30 | 11.350 |
| 28090-9 | | 90.00 | | |
| 280100-9 | | 100.00 | | |
| 280110-9 | | 110.00 | | |
| 280120-9 | | 120.00 | | |
| 29080-9 | 6038 / 6232 | 80.00 | 298.30 | 11.744 |
| 29090-9 | | 90.00 | | |
| 290100-9 | | 100.00 | | |
| 290110-9 | | 110.00 | | |
| 290120-9 | | 120.00 | | |
| 30080-9 | 6328 | 80.00 | 308.30 | 12.138 |
| 30090-9 | | 90.00 | | |
| 300100-9 | | 100.00 | | |
| 300110-9 | | 110.00 | | |
| 300120-9 | | 120.00 | | |
| 310120-9 | 6040 / 6234 / 6424 | 120.00 | 320.30 | 12.610 |
| 320120-9 | 6236 / 6330 | 120.00 | 330.30 | 13.004 |
| 340120-9 | 6044 / 6238 / 6332 | 120.00 | 350.30 | 13.791 |
| 360120-9 | 6048 / 6240 / 6334 | 120.00 | 370.30 | 14.579 |
| 380120-9 | 6336 | 120.00 | 390.30 | 15.366 |
| 400120-9 | 6052 / 6244 / 6338 | 120.00 | 410.30 | 16.154 |
| 420120-9 | 6056 / 6340 | 120.00 | 430.30 | 16.941 |
| 440120-9 | 6342 | 120.00 | 450.30 | 17.728 |
| * indicates most popular size | | | | |
| Custom sleeves available to maximum OD of 18" (457mm) | | | | |